



Control Systems with Actuator Saturation: Analysis and Design (Hardback)

By Tingshu Hu, Zongli Lin

BIRKHAUSER BOSTON INC, United States, 2001. Hardback. Book Condition: New. 2001 ed.. 257 x 206 mm. Language: English . Brand New Book. Saturation nonlinearities are ubiquitous in engineering systems. In control systems, every physical actuator or sensor is subject to saturation owing to its maximum and minimum limits. A digital filter is subject to saturation if it is implemented in a finite word length format. Saturation nonlinearities are also purposely introduced into engineering systems such as control systems and neural network systems. Regardless of how saturation arises, the analysis and design of a system that contains saturation nonlinearities is an important problem. Not only is this problem theoretically challenging, but it is also practically imperative. This book intends to study control systems with actuator saturation in a systematic way. It will also present some related results on systems with state saturation or sensor saturation. Roughly speaking, there are two strategies for dealing with actuator saturation. The first strategy is to neglect the saturation in the first stage of the control design process, and then to add some problem-specific schemes to deal with the adverse effects caused by saturation. These schemes, known as anti-windup schemes, are typically introduced using...

DOWNLOAD



READ ONLINE
[4.73 MB]

Reviews

The ebook is straightforward in study better to comprehend. It really is simplistic but excitement within the 50 % of the book. I am happy to let you know that here is the very best pdf i have got read during my very own existence and might be he greatest ebook for possibly.

-- **Dr. Brannon Wolf**

It in one of my personal favorite ebook. I was able to comprehended everything using this created e ebook. I am just pleased to tell you that here is the greatest ebook i have got read through within my own lifestyle and may be he finest publication for possibly.

-- **Timothy Johnson DVM**